آموزش نحوه ساخت فاش تبلت ويندوز +w11

۱: برای ساخت فاش تبلت ویندوز +w11 ،یک فلش ۱۶ گیگ را درنظر بگیرید

۲: پس از اتصال فلش به کامپیوتر آن را بافرمت FAT32 فرمت نمایید .

Format Removable Disk (C):) 🛛 ? 🗙
Capacity:	
3.76 GB	~
File system	
FAT32	~
Allocation unit size	
Default allocation size	~
Volume label	
Format options Quick Format Enable Compression Create an MS-DOS startup	disk
Start	Close

۳: پس از فرمت فلش ، فایل های زیر (در مجموع ۹ فایل) را درون فلش کپی نمایید .





۵: سپس تبلت راخاموش کرده . فلش را به تبلت متصل کرده کلید پاور تبلت را فشار دهید . سپس مزمان با بالا امدن لوگو ، کلید f7 برروی کیبورد را فشار داده و نگه دارید تا وارد مرحله زیر شوید .



۶: سپس با استفاده از کلیدهای پیمایش روی صفحه کلید به سمت پایین صفحه رفته وپس از انتخاب فلش خود ،اینتر inter رافشاردهید.



۷: سپس به ترتیب ، مراحل زیر را مشاهده خواهید کرد :





			一川内容定义		
Insyde	AMI	OWE	□仪格式低磁盘	CRAN	Local Dek
の里田島への			一個快麗	□ C 盘大小(GB)	0
e MMC	O SSD	Olisk	□ 创建 D盘	D盘名称	Local Date
2里来现-		Rebout «To-		PBR & Rt	Recovery
· 单次注意		00:08		PBR大小(MEI)	480
1 双形统		ApplyR	Restore C Ghost	一一時代夏點接	S. AFFT Because
18/01/31 00	11.18] >>> #	110USB设备		Sing Singe	CMD 345
018/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00 18/01/31 00	8.11.10) >>> 8 8.11.10) >>> 4 8.11.10) >>> 4 8.11.1	HRUSB设备 建立年根語径DA 部項DAScriptAUSB 即本形置意(eMMC) 取りHight Performan SIU版像文件 	ES Key ini Disk[0] cc:True[True 0021-V01.svm hges\Winte wim	FIR STATE	CMD 24









ystem Preparation Tool 3,14	×
System Preparation Tool (Sysprep) prepares the machine for hardware independence and deanup.	
System Cleanup Action	
Enter System Out-of-Box Experience (OOBE)	ر اانتخاب نمایید
Generalize	
Shutdown Options	
Reboot	
OK Cancel	
	The second se



Continue in selected language?

English (United States)

العربية

قارسى

Let's co	onnect	you	to	а	network
----------	--------	-----	----	---	---------

(iii	GLX-Pm Secured	
	Enter the network se	curity key
	1	
	You can also connect the router.	by pushing the button on
		Cancel
1	GLX-eco Secured	
	glx-edari	
	Secured	
	_1., nn	

